



NOAA - National Weather Service

Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323

<http://weather.gov/tampa>

PUBLIC INFORMATION STATEMENT

NATIONAL WEATHER SERVICE TAMPA BAY AREA - RUSKIN FL

1000 PM EDT THU APR 1 2010

...COLDEST OR SECOND COLDEST START TO ANY YEAR SINCE RECORDS BEGAN...

IF YOU THOUGHT THIS YEAR SO FAR HAS BEEN ONE OF THE COLDEST YOU CAN REMEMBER WELL THEN YOU WOULD BE CORRECT. WHEN WE LOOK AT THE COMBINED AVERAGE TEMPERATURE FOR THE FIRST THREE MONTHS OF THE YEAR (JAN/FEB/MAR) WE SEE THAT THIS YEAR HAS BEEN 6 TO 8 DEGREES BELOW NORMAL WHICH IS EITHER THE COLDEST OR SECOND COLDEST START TO ANY YEAR SINCE RECORDS BEGAN.

ALSO...THANKS TO EL NINO IT HAS ALSO BEEN RATHER WET...ESPECIALLY IN MARCH... WHICH HAS PLACED A FEW SPOTS IN THE TOP TEN WETTEST FOR THE FIRST THREE MONTHS OF THE YEAR.

IN THE SECTION BELOW ARE TABLES OF THE TOP TEN COLDEST AND WETTEST JANUARIES...FEBRUARIES AND MARCHES COMBINED...ALONG WITH THE 1971-2000 AVERAGE TEMPERATURE AND RAINFALL FOR THIS TIME PERIOD.

TOP 10 COLDEST

JAN/FEB/MAR AT INVERNESS:

1	55.0	IN 1978
2	55.7	IN 1958
3	56.8	IN 1996
4	57.5	IN 1987
5	57.8	IN 1995
5	57.8	IN 1985
7	58.1	IN 2003
8	58.6	IN 1969
8	58.6	IN 1968
10	58.9	IN 2005
10	58.9	IN 2001

TOP 10 WETTEST

JAN/FEB/MAR AT INVERNESS:

1	23.92	IN 1960
2	19.59	IN 1998
3	19.57	IN 1964
4	18.29	IN 1987
5	17.97	IN 1978
6	17.88	IN 1958
7	16.20	IN 1952
8	15.99	IN 1983
9	15.87	IN 2010
10	15.17	IN 1988

SEVERAL DAYS MISSING

IN MARCH 2010

NORMAL JAN/FEB/MAR = 60.7
RECORDS BEGAN 1948

NORMAL JAN/FEB/MAR = 10.68
RECORDS BEGAN 1948

TOP 10 COLDEST JAN/FEB/MAR
AT BROOKSVILLE CHIN HILL

1 56.4 IN 2010
2 57.1 IN 1901
3 58.2 IN 1940
4 59.0 IN 1920
5 59.1 IN 1926
6 59.3 IN 1900
7 59.4 IN 1988
8 59.5 IN 1893
9 59.6 IN 1941
10 59.7 IN 1996

TOP 10 WETTEST JAN/FEB/MAR
AT BROOKSVILLE CHIN HILL:

1 24.55 IN 1960
2 21.15 IN 1959
3 19.40 IN 1987
4 18.53 IN 1998
5 17.99 IN 1903
6 17.96 IN 1941
7 17.85 IN 1924
8 16.88 IN 1964
9 16.81 IN 1936
10 16.69 IN 1958

JAN/FEB/MAR 2010 = 13.32 (22ND)

NORMAL JAN/FEB/MAR = 62.6
RECORDS BEGAN 1892

NORMAL JAN/FEB/MAR = 10.73
RECORDS BEGAN 1892

TOP 10 COLDEST
JAN/FEB/MAR AT ST. LEO:

1 55.9 IN 2010
2 56.3 IN 1931
3 57.2 IN 1958
4 57.7 IN 1940
5 57.9 IN 1978
6 58.6 IN 1969
6 58.6 IN 1915
8 59.2 IN 1968
9 59.3 IN 1970
10 59.4 IN 1941

TOP 10 WETTEST
JAN/FEB/MAR AT ST. LEO:

1 25.26 IN 1987
2 24.66 IN 1960
3 21.82 IN 1899
4 21.32 IN 1983
5 20.80 IN 1998
6 20.68 IN 1903
7 20.48 IN 1900
8 19.49 IN 1958
9 18.72 IN 1959
10 16.83 IN 1936

JAN/FEB/MAR 2010 = 16.29 (13TH)

NORMAL JAN/FEB/MAR = 63.9
RECORDS BEGAN 1895

NORMAL JAN/FEB/MAR = 10.85
RECORDS BEGAN 1895

TOP 10 COLDEST
JAN/FEB/MAR AT PLANT CITY:

1 57.0 IN 2010
2 57.9 IN 1940
2 58.0 IN 1958
4 59.4 IN 1901
5 59.6 IN 1902
6 59.7 IN 1983
7 59.8 IN 1942
8 60.3 IN 1969
9 60.9 IN 1968
10 61.0 IN 1996

TOP 10 WETTEST
JAN/FEB/MAR AT PLANT CITY:

1 22.38 IN 1960
2 21.54 IN 1959
3 21.15 IN 1983
4 19.44 IN 1998
5 17.09 IN 1987
6 16.44 IN 1964
7 16.34 IN 1930
8 16.02 IN 1936
9 15.55 IN 1900
10 14.92 IN 1899

JAN/FEB/MAR 2010 = 14.48 (11TH)

NORMAL JAN/FEB/MAR = 64.3
RECORDS BEGAN 1892

NORMAL JAN/FEB/MAR = 9.17
RECORDS BEGAN 1892

TOP 10 COLDEST
JAN/FEB/MAR AT TAMPA:

1 56.9 IN 1958
2 57.2 IN 2010
3 57.5 IN 1969
4 57.6 IN 1978
5 58.0 IN 1981
6 58.2 IN 1940
7 58.3 IN 1968
8 58.9 IN 1970
9 59.0 IN 1915
10 59.5 IN 1941

TOP 10 WETTEST
JAN/FEB/MAR AT TAMPA:

1 20.62 IN 1998
2 18.66 IN 1959
3 17.18 IN 1903
4 16.80 IN 1987
5 16.19 IN 1983
6 16.02 IN 1960
7 15.87 IN 1900
8 15.47 IN 1937
9 15.09 IN 1930
10 14.79 IN 1958

JAN/FEB/MAR 2010 = 11.29 (24TH)

NORMAL JAN/FEB/MAR = 64.6
RECORDS BEGAN 1890

NORMAL JAN/FEB/MAR = 7.78
RECORDS BEGAN 1890

TOP 10 COLDEST
JAN/FEB/MAR AT LAKE LAND:

1 56.9 IN 1958
2 57.7 IN 2010
3 58.4 IN 1978
4 59.0 IN 1940
5 59.3 IN 1970
5 59.3 IN 1969
5 59.3 IN 1941
8 59.6 IN 1968
9 60.0 IN 1942
10 60.4 IN 1981

TOP 10 WETTEST
JAN/FEB/MAR AT LAKE LAND:

1 20.66 IN 1983
2 19.52 IN 1959
3 18.64 IN 1998
4 18.19 IN 1960
5 16.39 IN 1936
6 16.38 IN 1930
7 15.55 IN 1987
8 14.67 IN 1919
9 14.48 IN 2010
10 14.15 IN 1948

NORMAL JAN/FEB/MAR = 66.1
RECORDS BEGAN 1915

NORMAL JAN/FEB/MAR = 8.56
RECORDS BEGAN 1915

TOP 10 COLDEST
JAN/FEB/MAR AT ST. PETERSBURG:

1 57.7 IN 2010
2 58.0 IN 1958
3 59.0 IN 1940
4 60.1 IN 1978
5 60.2 IN 1915
6 60.7 IN 1996
7 60.8 IN 1981
8 61.3 IN 1969
9 61.4 IN 1941
9 61.4 IN 1931

TOP 10 WETTEST
JAN/FEB/MAR AT ST. PETERSBURG:

1 24.92 IN 1998
2 19.26 IN 1983
3 17.99 IN 1958
4 17.77 IN 1959
5 17.42 IN 1964
6 17.18 IN 1987
7 16.17 IN 1937
8 14.91 IN 1970
9 14.76 IN 1930
10 14.70 IN 1963

JAN/FEB/MAR 2010 = 11.47 (22ND)

NORMAL JAN/FEB/MAR = 64.8
RECORDS BEGAN 1914

NORMAL JAN/FEB/MAR = 8.92
RECORDS BEGAN 1914

TOP 10 COLDEST JAN/FEB/MAR
AT SARASOTA-BRADENTON:

1 57.2 IN 2010
2 58.4 IN 1958
3 58.8 IN 1940
4 58.9 IN 1931
5 59.6 IN 1977
6 60.0 IN 1969
6 60.0 IN 1941
8 60.6 IN 1968
9 60.7 IN 1983
9 60.7 IN 1942

TOP 10 WETTEST JAN/FEB/MAR
AT SARASOTA-BRADENTON:

1 24.33 IN 1998
2 22.39 IN 1958
3 21.13 IN 1983
4 17.41 IN 1987
5 15.19 IN 1915
6 14.95 IN 1959
7 14.41 IN 1964
8 14.09 IN 1936
9 14.02 IN 1924
10 13.51 IN 1930

JAN/FEB/MAR 2010 = 10.17 (32ND)

NORMAL JAN/FEB/MAR = 64.7
RECORDS BEGAN 1911

NORMAL JAN/FEB/MAR = 8.96
RECORDS BEGAN 1911

TOP 10 COLDEST
JAN/FEB/MAR AT AVON PARK:

1 55.7 IN 2010
2 58.4 IN 1978
3 59.3 IN 1958
4 59.9 IN 1979
5 60.0 IN 1977
6 60.2 IN 1940
7 60.3 IN 1983
8 60.5 IN 1996
8 60.5 IN 1931
10 60.8 IN 1915

TOP 10 WETTEST
JAN/FEB/MAR AT AVON PARK:

1 24.65 IN 1998
2 19.00 IN 1936
3 18.93 IN 1983
4 17.38 IN 1958
5 16.47 IN 1903
6 14.76 IN 1930
7 13.93 IN 2010
8 13.06 IN 1942
9 12.95 IN 1993
10 12.93 IN 1987

NORMAL JAN/FEB/MAR = 64.0
RECORDS BEGAN 1901

NORMAL JAN/FEB/MAR = 7.91
RECORDS BEGAN 1901

TOP 10 COLDEST JAN/FEB/MAR
AT ARCHBOLD BIO STN:

1 56.9 IN 2010
2 58.4 IN 1981
3 59.1 IN 1978
4 59.6 IN 1969
5 60.1 IN 1970
6 60.3 IN 1983
7 60.5 IN 1996
8 60.9 IN 1979
9 61.3 IN 2009
10 61.6 IN 1977

TOP 10 WETTEST JAN/FEB/MAR
AT ARCHBOLD BIO STN:

1 20.09 IN 1983
2 19.32 IN 1998
3 17.20 IN 1970
4 13.99 IN 2010
5 13.93 IN 1993
6 11.26 IN 1991
7 11.21 IN 1979
8 10.97 IN 1988
9 10.90 IN 1973
10 10.85 IN 1987

NORMAL JAN/FEB/MAR = 63.4
RECORDS BEGAN 1969

NORMAL JAN/FEB/MAR = 7.95
RECORDS BEGAN 1969

TOP 10 COLDEST
JAN/FEB/MAR AT PUNTA GORDA:

1 58.8 IN 2010
2 60.3 IN 1978
3 61.2 IN 1969
4 61.7 IN 1981
4 61.7 IN 1970
6 62.1 IN 1968
7 62.7 IN 1979
8 62.9 IN 1966
9 63.3 IN 1996
10 63.6 IN 1983

NORMAL JAN/FEB/MAR = 66.4
RECORDS BEGAN 1965

TOP 10 WETTEST
JAN/FEB/MAR AT PUNTA GORDA:

1 20.94 IN 1983
2 15.53 IN 1970
3 14.52 IN 1998
4 12.93 IN 1987
5 12.88 IN 2010
6 11.78 IN 1982
7 11.34 IN 1993
8 10.74 IN 1991
9 10.60 IN 1973
10 9.62 IN 1969

NORMAL JAN/FEB/MAR = 7.26
RECORDS BEGAN 1965

TOP 10 COLDEST
JAN/FEB/MAR AT FORT MYERS:

1 59.6 IN 1958
2 60.5 IN 2010
3 60.8 IN 1978
4 61.8 IN 1970
5 62.0 IN 1941
5 62.0 IN 1931
7 62.1 IN 1940
8 62.4 IN 1969
9 62.6 IN 1977
10 62.8 IN 1942

NORMAL JAN/FEB/MAR = 67.7
RECORDS BEGAN 1902

TOP 10 WETTEST
JAN/FEB/MAR AT FORT MYERS:

1 25.14 IN 1983
2 22.73 IN 1970
3 17.61 IN 1998
4 15.91 IN 1987
5 13.93 IN 1982
6 13.72 IN 1993
7 12.69 IN 1991
8 12.32 IN 1973
9 12.18 IN 1969
10 11.33 IN 2010

NORMAL JAN/FEB/MAR = 7.07
RECORDS BEGAN 1902

IN MARCH 2010 WAS RATHER COOL WITH TEMPERATURES AVERAGING ABOUT 6 TO 8 DEGREES BELOW NORMAL. THESE COOL TEMPERATURES PLACED MANY LOCATIONS ACROSS WEST CENTRAL AND SOUTHWEST FLORIDA IN THE TOP TEN COLDEST FOR THE MONTH OF MARCH.

IT WAS ALSO RATHER WET THANKS TO THE EL NINO PATTERN WITH MANY AREAS RECEIVING 2 TO 3 TIMES THE TYPICAL AVERAGE MARCH RAINFALL WHICH PLACED SOME SPOTS IN THE TOP TEN WETTEST.

IN THE SECTION BELOW ARE TABLES OF THE TOP TEN COLDEST AND WETTEST MARCHES IN SOME LOCATIONS...WHICH INCLUDES THE AVERAGE/TOTAL THIS MARCH AND THE 1971-2000 AVERAGE TEMPERATURE AND RAINFALL FOR THE MONTH OF MARCH.

TOP 10 COLDEST
MARCHES AT INVERNESS:

1	58.1	IN 1996
2	59.2	IN 1969
3	59.5	IN 2005
4	60.1	IN 1999
5	60.2	IN 1983
6	60.4	IN 1960
7	61.0	IN 1987
7	61.0	IN 1984
9	61.8	IN 1981
10	61.9	IN 1978

TEMPERATURES WERE MISSING
FOR SEVERAL DAYS IN MARCH

NORMAL MAR AT INV1 = 64.1
RECORDS BEGAN 1948

TOP 10 WETTEST
MARCHES AT INVERNESS:

1	16.00	IN 1960
2	11.13	IN 1987
3	9.21	IN 1959
4	8.98	IN 2010
5	8.83	IN 1982
6	8.63	IN 2001
7	8.18	IN 1964
8	8.05	IN 1958
9	8.00	IN 1996
10	7.96	IN 1983

NORMAL MAR AT INV1 = 4.17
RECORDS BEGAN 1948

TOP 10 COLDEST MARCHES
AT BROOKSVILLE CHIN HILL:

1	59.3	IN 1969
2	60.3	IN 1924
3	60.7	IN 1926
3	60.7	IN 1901
5	60.9	IN 1996
6	61.1	IN 2010
7	61.8	IN 1941
7	61.8	IN 1932
9	61.9	IN 1920
10	62.0	IN 1998

TOP 10 WETTEST MARCHES
AT BROOKSVILLE CHIN HILL:

1	17.70	IN 1960
2	13.40	IN 1987
3	10.69	IN 1959
4	10.58	IN 1924
5	9.10	IN 1930
6	9.00	IN 1983
7	8.00	IN 1991
8	7.97	IN 1958
9	7.77	IN 1982
10	7.51	IN 1947

MARCH 2010 = 5.86 (22ND)

NORMAL MAR AT BROF1 = 66.4
RECORDS BEGAN 1892

NORMAL MAR AT BROF1 = 4.22
RECORDS BEGAN 1892

TOP 10 COLDEST
MARCHES AT ST. LEO:

1	57.5	IN 1931
1	57.5	IN 1915
3	59.2	IN 1969
4	60.2	IN 2010
5	60.6	IN 1930
6	61.1	IN 1960
7	61.5	IN 1914
8	61.7	IN 1924
9	61.9	IN 1941
10	62.3	IN 1968
10	62.3	IN 1947

NORMAL MAR AT STL1 = 66.9
RECORDS BEGAN 1895

TOP 10 WETTEST
MARCHES AT ST. LEO:

1	17.91	IN 1960
2	16.50	IN 1987
3	12.05	IN 1959
4	10.91	IN 1930
5	10.05	IN 1900
6	9.53	IN 1930
7	9.31	IN 1958
8	8.71	IN 1983
9	8.70	IN 1988
10	8.54	IN 2010

NORMAL MAR AT STL1 = 4.06
RECORDS BEGAN 1895

TOP 10 COLDEST
MARCHES AT PLANT CITY:

1 56.9 IN 1931
2 60.3 IN 1932
3 60.5 IN 1969
4 60.7 IN 2010
5 61.0 IN 1930
5 61.0 IN 1901
7 61.4 IN 1924
8 61.5 IN 1941
9 61.7 IN 1983
9 61.7 IN 1960

NORMAL MAR AT PLCF1 = 66.9
RECORDS BEGAN 1892

TOP 10 WETTEST
MARCHES AT PLANT CITY:

1 15.68 IN 1960
2 13.70 IN 1959
3 12.78 IN 1987
4 10.59 IN 1983
5 8.81 IN 1930
6 7.93 IN 2010
7 7.81 IN 1924
8 7.51 IN 1998
9 7.49 IN 2001
10 7.30 IN 1900

NORMAL MAR AT PLCF1 = 3.39
RECORDS BEGAN 1892

TOP 10 COLDEST
MARCHES AT TAMPA:

1 57.7 IN 1915
2 58.1 IN 1969
3 60.7 IN 1931
4 60.9 IN 1968
5 61.6 IN 2010
6 61.7 IN 1941
7 61.9 IN 1947
8 62.0 IN 1960
8 62.0 IN 1924
8 62.0 IN 1892

NORMAL MAR AT TPA = 67.4
RECORDS BEGAN 1890

TOP 10 WETTEST
MARCHES AT TAMPA:

1 12.64 IN 1959
2 12.01 IN 1987
3 11.00 IN 1960
4 9.87 IN 1930
5 7.59 IN 1983
6 7.36 IN 1900
7 7.24 IN 1924
8 7.07 IN 1931
9 6.98 IN 1957
9 6.98 IN 1947

MARCH 2010 = 5.88 (15TH)

NORMAL MAR AT TPA = 2.84
RECORDS BEGAN 1890

TOP 10 COLDEST
MARCHES AT LAKE LAND:

1 60.0 IN 1969
2 60.1 IN 1915
3 61.5 IN 1960
3 61.5 IN 1931
5 61.6 IN 1941
6 61.7 IN 2010
7 61.9 IN 1924
8 62.2 IN 1947
9 62.5 IN 1968
10 63.3 IN 1971

NORMAL MAR AT LAL = 69.1
RECORDS BEGAN 1915

TOP 10 WETTEST
MARCHES AT LAKE LAND:

1 12.94 IN 1960
2 12.16 IN 1959
3 10.75 IN 1987
4 9.22 IN 1983
5 8.57 IN 1930
6 8.53 IN 2010
7 8.15 IN 1942
8 7.44 IN 2001
9 7.20 IN 1998
10 6.90 IN 1982

NORMAL MAR AT LAL = 3.38
RECORDS BEGAN 1915

TOP 10 COLDEST
MARCHES AT ST. PETERSBURG:

1 59.0 IN 1915
2 61.8 IN 2010
3 61.9 IN 1969
4 62.4 IN 1996
5 62.5 IN 1931
6 62.8 IN 1960
7 63.4 IN 1947
7 63.4 IN 1924
9 63.5 IN 1941
10 64.0 IN 1983

NORMAL MAR AT SPG = 67.5
RECORDS BEGAN 1914

TOP 10 WETTEST
MARCHES AT ST. PETERSBURG:

1 11.79 IN 1987
2 11.33 IN 1959
3 8.38 IN 1931
4 8.20 IN 1983
5 8.09 IN 2010
6 7.86 IN 1970
7 7.75 IN 1960
8 7.65 IN 1952
9 7.31 IN 2001
10 7.18 IN 1998

NORMAL MAR AT SPG = 3.29
RECORDS BEGAN 1914

TOP 10 COLDEST
MARCHES AT SARASOTA-BRADENTON:

1 57.5 IN 1987
2 59.4 IN 1959
3 60.4 IN 2010
4 60.7 IN 1931
5 61.7 IN 1983
5 61.7 IN 1970
7 62.0 IN 1960
8 62.6 IN 1952
9 63.0 IN 2001
10 63.1 IN 1998

NORMAL MAR AT SRQ = 67.2
RECORDS BEGAN 1911

TOP 10 WETTEST
MARCHES AT SARASOTA-BRADENTON:

1 11.10 IN 1987
2 10.77 IN 2001
3 10.60 IN 1958
4 8.81 IN 1959
5 8.63 IN 1983
6 7.42 IN 1982
7 7.37 IN 1969
8 7.11 IN 1998
9 7.10 IN 1970
10 6.31 IN 1957
10 6.31 IN 1947

MARCH 2010 = 4.89 (19TH)

NORMAL MAR AT SRQ = 3.36
RECORDS BEGAN 1911

TOP 10 COLDEST
MARCHES AT AVON PARK:

1 59.1 IN 2010
2 59.4 IN 1915
3 61.0 IN 1931
4 62.5 IN 1969
5 62.6 IN 1996
6 62.9 IN 1993
7 63.0 IN 1983
8 63.5 IN 1914
9 63.6 IN 1941
10 63.8 IN 1979

NORMAL MAR AT AVPF1 = 66.7
RECORDS BEGAN 1901

TOP 10 WETTEST
MARCHES AT AVON PARK:

1 10.21 IN 1998
2 8.48 IN 2010
3 7.35 IN 1959
4 6.90 IN 1953
5 6.89 IN 1969
6 6.85 IN 1965
7 6.84 IN 1987
8 6.59 IN 1930
9 6.37 IN 2001
10 6.18 IN 1947

NORMAL MAR AT AVPF1 = 3.02
RECORDS BEGAN 1901

TOP 10 COLDEST
MARCHES AT ARCHBOLD BIO STN:

1 58.8 IN 2010
2 61.1 IN 1969
3 62.2 IN 1996
4 62.5 IN 1983
5 63.2 IN 1999
6 63.3 IN 1981
7 63.8 IN 1998
8 63.9 IN 1971
9 64.0 IN 1993
10 64.2 IN 1979

NORMAL MAR AT ACHF1 = 66.0
RECORDS BEGAN 1969

TOP 10 WETTEST
MARCHES AT ARCHBOLD BIO STN:

1 10.20 IN 2010
2 8.85 IN 1970
3 7.52 IN 2003
4 7.43 IN 1969
5 6.61 IN 1987
6 6.52 IN 1982
7 6.42 IN 1984
8 6.21 IN 1988
9 6.03 IN 1986
10 5.74 IN 1993

NORMAL MAR AT ACHF1 = 3.25
RECORDS BEGAN 1969

TOP 10 COLDEST
MARCHES AT PUNTA GORDA:

1 62.0 IN 2010
2 62.3 IN 1969
3 64.2 IN 1968
4 64.7 IN 1971
5 65.4 IN 1996
6 65.7 IN 1979
7 66.0 IN 1978
8 66.2 IN 1983
8 66.2 IN 1966
10 66.3 IN 1999

NORMAL MAR AT PGD = 68.7
RECORDS BEGAN 1965

TOP 10 WETTEST
MARCHES AT PUNTA GORDA:

1 9.26 IN 1970
2 8.68 IN 2010
3 8.18 IN 1987
4 6.34 IN 1969
5 6.26 IN 2005
6 6.14 IN 1983
7 6.09 IN 2003
8 6.05 IN 2001
9 5.54 IN 1998
10 5.42 IN 1986

NORMAL MAR AT PGD = 2.73
RECORDS BEGAN 1965

TOP 10 COLDEST
MARCHES AT FORT MYERS:

1 61.1 IN 1915
2 62.4 IN 1931
3 63.0 IN 2010
4 63.4 IN 1969
5 63.7 IN 1941
6 64.4 IN 1914
7 64.5 IN 1960
8 64.6 IN 1968
9 65.2 IN 1916
10 65.3 IN 1983

NORMAL MAR AT FMY = 69.9
RECORDS BEGAN 1902

TOP 10 WETTEST
MARCHES AT FORT MYERS:

1 18.58 IN 1970
2 10.31 IN 1958
3 8.94 IN 1947
4 7.78 IN 1903
5 7.41 IN 1983
6 7.21 IN 2010
7 6.88 IN 1941
8 6.64 IN 1931
9 6.59 IN 2005
10 6.38 IN 1984

NORMAL MAR AT FMY = 2.74
RECORDS BEGAN 1902

FOR MORE LOCAL CLIMATE INFORMATION...PLEASE VISIT OUR WEB PAGE AT
HTTP://WEATHER.GOV/TAMPABAY AND CLICK ON THE "LOCAL" LINK UNDER
THE CLIMATE SUBSECTION ON THE LEFT SIDE OF THE PAGE.